



Magic-Faceplate



Withdrawing Faceplate



Magic-Faceplate™
Guestroom Phone



Model: 48C++-5S

- Single line / Two line speakerphone.
- Magic-Faceplate™ keypad, Whole sealed membrane faceplate, waterproof, damp proof and easy to clean.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Double-Dial Pads™, Guests can make phone call from both phone base and handset. The handset keypad is membrane and backlit.
- Faceplate Plus™, the withdrawing faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- Magnetic Hookswitch, waterproof and easy to clean.
- Flash button with Flash time programmable (Standard as 600ms).
- AutoConnect™, Busy tone disconnected automatically.
- EZ Message Light™, Message Waiting Light with retrieval function.
- SPKR and Handset volume three-step adjustable.
- Flexible Data Port.
- Mute button optional.
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.



Model: 48B+-5S

- Single line / Two line speakerphone.
- Magic-Faceplate™ keypad, Whole sealed membrane faceplate, waterproof, damp proof and easy to clean.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Faceplate Plus™, the withdrawing faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- Magnetic Hookswitch, waterproof and easy to clean.
- Flash button with Flash time programmable (Standard as 600ms).
- AutoConnect™, Busy tone disconnected automatically.
- EZ Message Light™, Message Waiting Light with retrieval function.
- SPKR and Handset volume three-step adjustable.
- Flexible Data Port.
- Mute button optional.
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.



Withdrawing Faceplate



Magic-Faceplate

Regalstar Cordless Phones



Two Line Model: 48WD-B⁺-T5


- New style of cordless, with corded base unit and cordless handset. One Base-station supports up to 4 handsets.
- Support 2.4GHz DCT standard, 1.8GHz, DECT6.0 optional.
- Without external power, the Base can receive and make calls normally.
- Digital code transmission, avoids mutual interference with other electronic equipments.
- Handset recharges the battery rapidly.
- Standby Time(PP): 7 days.
- Talk Time(PP): 10 hours.
- EZ Message Light™, Message Waiting Light with retrieval function.
- Handset Range: 200m from Base.
- Both the Base and the handset, Ringer and Volume are adjustable.
- Flash, Redial and Hold both for the Handset and the unit.
- AutoConnect™, Busy tone disconnected automatically for both Base Unit and Handset.
- Handset detects the Battery power, and warns if low battery.
- Handset warns in case beyond the operation distance.
- Faceplate Plus™, full length faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held programming Cloner.



One Line Model: 48WD-B⁺-5S

The design complies with the standard of international room digital cordless phones technology requirements.

- Frequency Hopping Spread Spectrum (FHSS)
- Out Power: 22dBm
- Frequency range: 2.4GHz – 2.4835GHz
- Sensitivity: -91dBm
- Channel: 95
- Modulation: GFSK
- Channel Spacing: 864KHz



Still Working even power cut off

The base unit still works normally even the power is cut off, this is the most valued feature in case of emergency.



Model: IPTSD(48-5S)

Magic Face, Special Experience

Special features:

- Unique membrane keypad and faceplate, multiple colors optional.
- Buttons size, shape and layout of keypad can be customized as per special requirement.
- Faceplate Plus™, providing bigger space for printing.
- Inserting-Faceplate design, convenient and easy to replace.

Features:

- Single line/ two line Speakerphone SIP PoE phone.
- Faceplate Plus™, full length faceplate and placard faceplate.
- AutoConnect™, Busy tone disconnected automatically.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- Magic-Faceplate™, multiple colors optional.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flash button with Flash time programmable (Standard as 600ms).
- Ringer Volume HI/LOW adjustable.
- SPKR and Handset volume three-step adjustable.
- EZ Message Light™, Message Waiting Light with retrieval function.
- Mute button optional.
- Handset with HAC.
- Flexible Data Port.

Specifications:

Dimensions: 22cm×16.9cm×9.7cm

Handset cord: 3.66m

Line cord: 2.0m

Weight: 1160g

Color: Ivory、Black optional

Handset: Hearing Aid Compatible Handset

Flash time: 80ms,100ms,300ms,600ms optional, standard 600ms

Message Waiting Light Voltage with SIP protocol

Quality Control: ISO9001, ISO 14001 System

Quality Approval, CCC, FCC, CE, RoHS

FCC rules: The unit complies with part 15 and part 68 of the FCC rules and regulations

One-Touch Memory Key Programming: Software Programming

Box Dimension: 50×44.5×27(cm)

Package (set/carton): 10set/Carton



Model: IPCID(58-10S)

- Popular Swedish designing Style.
- Streamlined body design.
- The Bittell new guestroom phone with complete intellectual property.
- The traditional 'big faceplate' upgrading to dual-faceplate (big faceplate and Faceplate Plus) ensures the best image and service of your hotel.



Model: IP(58-10S)

Features:

- Single line/ two line Speakerphone SIP PoE phone.
- Faceplate Plus™, full length faceplate and placard faceplate.
- AutoConnect™, Busy tone disconnected automatically.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flash button with Flash time programmable (Standard as 600ms).
- Ringer Volume HI/LOW adjustable.
- SPKR and Handset volume three-step adjustable.
- EZ Message Light™, Message Waiting Light with retrieval function.
- Mute button optional.
- Handset with HAC.
- Flexible Data Port.



One Line Model: 58CID-B-10S

- FSK/DTMF Caller ID system, no need extra power.
- Faceplate Plus™, full length faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- AutoConnect™, Busy tone disconnected automatically.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- EZ Message Light™, Message Waiting Light with retrieval function.
- Flash button with Flash time programmable(Standard as 600ms).
- SPKR and Handset volume three-step adjustable.
- Mute button optional.



Two Line Model: 58CID-B-T5

- Two line auto-select and three-way conference.
- FSK/DTMF Caller ID system, no need extra power.
- Faceplate Plus™, full length faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- AutoConnect™, Busy tone disconnected automatically.
- EZ Message Light™, Message Waiting Light with retrieval function.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flexible Data Port.
- Flash button with Flash time programmable (Standard as 600ms).
- Mute button optional.
- SPKR and Handset volume three-step adjustable.
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.



PrivacyGuard™

The Call ID incoming number disappeared after 60 seconds.

Athena Analog Phones



One Line Model: 58-B-10S

- Popular Swedish designing Style.
- Streamlined body design.
- The traditional 'big faceplate' upgrading to dual-faceplate (big faceplate and Faceplate Plus) ensures the best image and service of your hotel.
- Faceplate Plus™, full length faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- AutoConnect™, Busy tone disconnected automatically.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flash button with Flash time programmable(Standard as 600ms).
- EZ Message Light™, Message Waiting Light with retrieval function.
- SPKR and Handset volume three-step adjustable.
- Mute button optional.



Two Line Model: 58-B-T10

- Faceplate Plus™, full length faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- AutoConnect™, Busy tone disconnected automatically.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flash button with Flash time programmable(Standard as 600ms).
- EZ Message Light™, Message Waiting Light with retrieval function.
- SPKR and Handset volume three-step adjustable.
- Two line auto-select and three-way conference (Two Line Phones only).
- Mute button optional.

Uranus Analog Phones



One Line Model: 38C+-10S (K)

- Accurate LED Clock, with time-adjusting clone feature.
- Double-Dial Pads™, Guests can make phone call from both phone base and handset. The handset keypad is membrane and backlit.
- Faceplate Plus™, full length faceplate and placard faceplate.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- AutoConnect™, Busy tone disconnected automatically.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flexible Data Port.
- Flash button with Flash time programmable(Standard as 600ms).
- Mute button optional.
- SPKR and Handset volume three-step adjustable.
- Ringer Volume HI/LOW adjustable.
- EZ Message Light™, Message Waiting Light with retrieval function.
- Handset with HAC.
- Desk and Wall Mountable.



Two Line Model: 38C+-T10 (K)

- Accurate LED Clock, with time-adjusting clone feature.
- Double-Dial Pads™, Guests can make phone call from both phone base and handset. The handset keypad is membrane and backlit.
- Faceplate Plus™, full length faceplate and placard faceplate.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- AutoConnect™, Busy tone disconnected automatically.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flexible Data Port.
- Flash button with Flash time programmable(Standard as 600ms).
- Mute button optional.
- SPKR and Handset volume three-step adjustable.
- Ringer Volume HI/LOW adjustable.
- Two line auto-select and three-way conference(Two Line Phones only).
- EZ Message Light™, Message Waiting Light with retrieval function.
- Handset with HAC.
- Desk and Wall Mountable.



Clockphone™

The Clockphone is designed to ensure the guests to acquaint the time freely. The accurate LED clock with the time-adjust by cloner in centralisation brings great convenience to hotel. The line powered technology supports the clock work well for long time and solves the problem of clock external power. The Clockphone has been becoming the new standard of the guestroom phone.

Uranus Cordless Phones



One Line Model: 38WD-10S

- One line Speaker Cordless Phone.
- CID cordless phone, supporting DTMF/FSK system.
- One Base-station supports up to 3 handsets.
- Support 2.4GHz DCT standard, 1.8GHz, 1.9GHz, DECT6.0 optional.
- Without external power, the Base can receive and make calls by SPKR normally.
- Digital code transmission, avoids mutual interference with other electronic equipments.
- Handset recharges the battery rapidly.
- Standby Time(PP): 7 days.
- Talk Time(PP): 10 hours.
- Handset Range: 200m from Base.
- Auto-Gone CID™, the CID number disappearing after 60 seconds.
- Both the Base and the Handset, Ringer and Volume are adjustable.
- Flash, Redial and Hold both for the Handset and the Unit.
- AutoConnect™, Busy tone disconnected automatically for both Base Unit and Handset.
- Handset detects the Battery power, and warns if low battery.
- Handset warns in case beyond the operation distance.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- EZ Message Light™, Message Waiting Light with retrieval function.



Two Line Model: 38WD-T5

The design complies with the standard of international room digital cordless phones technology requirements.

- Frequency Hopping Spread Spectrum (FHSS)
- Out Power: 22dBm
- Frequency range: 2.4GHz – 2.4835GHz
- Sensitivity: -91dBm
- Channel: 95
- Modulation: GFSK
- Channel Spacing: 864KHz



Model: 32-A-10S (K)

- Accurate LED Clock, with time-adjusting clone feature (K) .
- Faceplate Plus™, full length faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Flexible Data Port.
- Indicators for Hold and SPKR.
- Hold, Flash and Redial.
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.
- SPKR and Handset volume three-step adjustable, and store the adjustment.
- Desk and Wall Mountable.



Model: 32-A-10S

- Faceplate Plus™, full length faceplate and placard faceplate.
- SmartTray™, keep the cord in right place tidily and easy to clean.
- 10/5/3/0 Guest Service Keys™, Permanent one-touch memory keys.
- Flexible Data Port.
- Indicators for Hold and SPKR.
- Hold, Flash and Redial.
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.
- SPKR and Handset volume three-step adjustable, and store the adjustment.
- Desk and Wall Mountable.



Clockphone™

The Clockphone is designed to ensure the guests to acquaint the time freely. The accurate LED clock with the time-adjust by cloner in centralisation brings great convenience to hotel. The line powered technology supports the clock work well for long time and solves the problem of clock external power. The Clockphone has been becoming the new standard of the guestroom phone.

New Style SIP Bathroom Phone

The First True SIP Bathroom Phone in the Industry



Model: IPCID(41T-6)

- Unique shape design with style body.
- Big LCD with Caller ID and built-in Clock.
- Membrane touch keypad, multiple colors optional.
- Magnetic Hookswitch design, waterproof and easy to clear.

Clock Bathroom Phone



Model: 41T-0+ (K)

- Accurate LED Clock; Time Display.
- On-Off SPKR button, with indicator.
- Emergency button, permanent programmable memory key(32 digital max).
- AutoConnect™ Busy tone disconnecting automatically.
- Volume three step control, stored.
- Hold button with indicator.
- Adopt the unique advanced Membrane Keypad.
- Last dialed number disappearing after a definite time.
- Multiple waterproof splash proof design.

Clock Bathroom Phone



Model: 41T-5+ (K)

- Accurate LED Clock; Time Display.
- The button of the handset adopts this membrane-touch button, which is elegant, soft and snug.
- Magnetic Hookswitch design, waterproof and easy to clear.
- Desk or wall mountable.
- Single line phone.
- Flash.
- Pause.
- Redial.
- Hold.
- Back Light.




Single Line Phone



Model: 41T-18

- Magnetic Hookswitch design, waterproof and easy to clear.
- HAC handset.
- Desk & Wall mountable.
- Tone dial.
- Back light.
- Pause, Redial.



SOS call™

"Emergency button"--The special feature in Bittel bathroom phone, you can store the emergency number in advance, when something emergency happens, the guest can press the button for SOS call.

Your Hotel, Our Bittel

Bittel has led the way in creating the new features & functions to the hotel phones. Besides of the four basic hotel phone features (Faceplate, Speed-dial button, Message Waiting Light and Data Port), Bittel has successfully innovated 17 more patented features, which are becoming the new standards in this industry. These features and functions reflecting the humanism in the hospitality industry, which is the hotels are seeking for. Bittel always follows four principles as Convenient First, Safety First, Privacy First and Comfort First.

Unique technique



Faceplate Plus™

The large faceplate isn't large enough for more information. This second plate makes up for this. It posts the kind reminder to guests, as well as saves the space of the table in room.



Magnetic Hook Switch™

Magnetic technology is used for hook switch, which is the best solution for waterproof. The Magnetic Hookswitch design also makes the telephone look more artistic and much easier to clean.



SmartTray™

The tray has changed the traditional way of putting the coiled cord. It makes the phone set tidy and prolong the use life of cord.



Double-Dial Pads™

The Double-Dialed Pads guestroom phone can dial either through base unit or through handset. Both base unit and handset has keypads, handset keypad is membrane and backlight. It is the marking feature of the third generation hotel phone. Guest may make/answer call by the handset lying in bed like using cordless phone, unnecessary to put the handset back.



Magic-Faceplate™

The unique membrane keypad is soft touch, back-lit, waterproof and easy to clean. The life of membrane keypad is much longer than the regular keypad.



AutoConnect™

Busy tone disconnected automatically based on detecting 9 times. The guest won't worry to lose any call, even sometime the handset is not put back well.

Express Programmer™

The traditional programming way by hand is boring and cost much, by Bittel patent Cloner device, the room telephones can be programmed by the Express Programmer Cloner. With 100% accuracy and saving much work, the Programmer Cloner increases efficiency greatly.



Guest Service Keys™

Traditionally, people usually adopt the large capacitor to store the one-touch programmed number, but it's easy to lose the stored numbers after some time use. Bittel new hotel guestroom phone adopts E²PROM combining software memory programmed technology, the stored numbers are stored in the chipset, with the powerful reliability.



PrivacyGuard™

The last dialed number disappeared after 5 minutes, it's a good way to protect the privacy for guests.



EZ Message Light™

"MWL with message retrieval function": Traditional voice mail service is very troublesome. Guest doesn't know how to use when MWL flashes. While our new MWL adopts patented technology of "light and key in one", guest touches and retrieves message when the red MWL flashes, very convenient, simple and quick.

Lobby Phone



Model: 38TS-C+-N(K)

- Used in hall, aisle, lift, entertainment center and public areas.
- Lift handset to connect to one-touch service key offer convenience service for guests.



Model: 48TS-B-N

- Used in aisle, lift, entertainment center and public areas.
- Accurate LED Clock, with time-adjusting clone feature.
- SOS Call.



Model: 41T-5+(1S)



Model: 41T-0+(K)

Partial Listing of Bittel Customers for Hospitality Telephones

Australia:

Hilton Brisbane Hotel
Diamant Hotel Sydney
Novotel Palm Cove Resort
Best Western Golden Harvest
Best Western Gregory Terrace
Oaks Festival Towers
Park Regis Anchorage
Alexander Motor Inn & Apartments

Azerbaijan:

Holiday Inn Baku Airport Resorts

Belarus:

Crowne Plaza Hotel, Minsk

Brazil:

Oriental Express Copacabana
– Palace, Rio de Janeiro, Brazil

Czech:

Hilton, Prague
Le Palais, Prague
Hotel Palace Praha

Cyprus:

Mercure Girne Hotel, Cyprus
Savoy Hotel, Cyprus

Costa Rica:

Barceló Tambor Beach

Indonesia:

Harris Resort Batam Hotel,
Aston Hotel,
Aryaduta Suites Hotel

Germany:

InterCity Hotel Hannover, Germany
Hotel Kaiserhof Hanover
Marriott Berlin
Hotel im Wasserturm Cologne
Ritz Carlton Berlin
Best Western Hotel Ambassador

UAE:

Sheraton Dubai
Majestic Hotel
Hyatt Dubai Hotel

India:

Taj Manjarum, Bangalore
Novotel, Hyderabad
Shilton Royale, Bangalore
Ramada Powai
Ramada Jaipur
Sever Hotel
The Lotus Suits, Mubai
Woodlands Hotel, Bangalore
Woody's Bangalore
JP Churchill, Bangalore
Silver Ferns, New Delhi
Seasons Pune
The Hotel Landmark President
GRT temple bay beach resort
The Orchid hotel, Mumbai
Hans Hotel New Delhi
Pemba Beach Resort Hotel
Ramee Guestline Hotel, Mubai
FOUR POINT by Sheraton, Mumbai
Oakwood Mumbai Hotel

Ireland:

Marriott Hotel, Ashbourne
Days Inn Talbot Street, Dublin Ireland

Iceland:

Radisson Hotel, Iceland

Japan:

Grand Prince Hotel Takanawa
X-wave Higashinakano Hotel

Korea:

Novotel Ambassador Doksan, Seoul
Ramada Plaza Suwon
The Westine Chosun
The Shilla Jeju Hotel
Ritz Carlton Seoul
Westin Pusan Hotel

Mozambique:

Indigo Bay-Island Resort and Spa

Malta:

Grand hotel

Maldives:

Beehive Nalahiya Hotel
Banyan Tree Maldives

Malaysia:

Dorsett, Johor hotel, Malaysia
The Rizqun, Malaysia

Mexico:

Marriott Veracruz Mexico

Nigeria:

Protea Hotel Apo Apartment

Panama:

InterContinental Playa Bonita Resort & Spa
Holiday Inn

Philippines:

InterContinental Miramar
Radisson Solon 2000 Hotel & Casino

Russia:

Radisson Cebu, Philippines Hotel
Crowne Plaza, Moscow
Holiday Inn, Chelyabinsk
Radisson, Sochi
Radisson, Rostov
Grand Hotel Europe, St. Petersburg
Wel Hotel, St. Petersburg
Astoria, St-Petersburg
Metropol Moscow Taleon Imperial Hotel, SPB
Holiday Club, St. Petersburg
Renaissance Moscow Hotel

Spain:

Hotel Elba Carlota, Canary Islands
Foxa Valladolid Hotel
Axor Hotel Madrid

Sri Lanka:

Royal Palms, Sri Lanka

Saudi Arabia:

Al Safwa Hotel
Awaliv International Hotel
Sunset Hotel Jeddah
Yanbu Movenpick Hotel
Dyar Hotel International

Singapore:

The Fullerton Hotel, Singapore
Strand Hotel, Singapore
Classique Hotel, Singapore
Marina Bay Sands, Singapore

Turkey:

Marriott Asia, Istanbul
Swissotel, Ankara
Crowne Plaza, Ankara
Sheraton Hotel, Istanbul
Renaissance Istanbul Hotel,
Bera Hotel, Ankara

Thailand:

Shangri-La Chaing Mai
Ramada Bangkok
Novotel, Chumporn
Le Meridien Hotel
Holiday Inn Resort Cha-Am
Four Seasons Chiang Mai
Park Plaza Hotel
Ariston Hotel
Sheraton Pattaya Hotel
Hyatt Regency Hua Lin

UK:

Holiday Inn, Liverpool
Holiday Inn, Poole
Norfolk Arms Hotel, Sheffield
Ramada Hotel & Suits, Coventry
Grange Hotel, London

Uganda:

Royal Suites

Vietnam:

Palm Garden Resort
Princess D'Annam Resort & Spa
New World Hotel, Saigon
Golden Sand Resort, Hoi An
Longbeach's Ancient Village Resort & Spa
Mercure Hanoi La Gare
Sofitel HCMC

CID Business Phone

- Active memory for incoming calls 116 . FSK/DTMF Caller ID system.
- 16-digit 16 line outgoing call records.
- 6 local area code setting,6 long-distance code setting.
- 12-digit 12-line indirect memory keys.
- LCD contrast five levels adjustable.
- Built-in date,time clock and week display.
- Ringing and Message Waiting Light.
- Pre-dial,amend and dial back.
- Baby call.
- Flash time 600ms.
- Pause.
- Auto-recall when the line is busy.
- Speakerphone



Model: 38TD



Model: 38CID

BT-2008 SIP Office phone

- Single line SIP CID Speakerphone
- PoE power or adaptor power. optional
- Redial
- Working Indicator Light
- Volume adjust buttons
- Message Waiting Light
- Handset with HAC
- Two ethernet Ports



Model: BT-2008-S(D)

Double-Dial CID phone

- Double-Dial Pads optional
- Active memory for incoming calls 116 . FSK/DTMF Caller ID system
- 16-digit 16 line outgoing call records
- 6 local area code setting,6 long-distance code setting
- Auto-recall when the line is busy
- LCD contrast five levels adjustable
- Built-in real date,time clock and week display
- Ringing and Message Waiting Light
- 12-digit 12-line indirect memory keys
- Pre-dial,amend and dial back
- Baby call
- Flash time 600ms
- Pause
- Speakerphone



Model: 38CID-C+



Model: 40CID-C+

BUSINESS PARTNER:

SIEMENS


Alcatel-Lucent

AVAYA
DEVCONNECT
GOLD



RoHS

Bittel Hotel Phones are widely used worldwide, such as:



Shandong Bittel Electronics Co., Ltd. is the world leading professional manufacturer for telephone and other terminal products for the hospitality industry. It was founded in 1989, and has integrated the development, producing, sales and service together. After 20 years of experience in developing, manufacturing and sales, Bittel has awarded ISO9001, ISO14001, FCC, CE, CCC, RoHS certificates, has more than 500 employees, and covers 7000 square meters workshop. Equipped with Wave Welder Machine, Solder Reflow Machine, Auto-Board-Threading Machine, SMT Machine, Ultrasonic Cleaning Machine, and other more than 150 advanced machines, Bittel has the ability of manufacturing 5 million telephone sets per year. Bittel has now become the world supplier for Bittel brand hotel phones and VoIP phones.

Bittel Headquarters

SHANDONG BITTEL ELECTRONICS CO., LTD

ADD : NO.1 Rizhao North Road, Rizhao, China 276800

TEL : +86-633-2212103 2212125

FAX: +86-633-2212118

E-mail: sales@bittelcom.com

Website: www.bittelcom.com

Distributor:

